

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1592	(219/121.69,121.73).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 07:13
L3	685	(216/22,94).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 07:16
L4	0	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and 1	US-PGPUB; USPAT	OR	OFF	2005/06/17 07:16
L5	3	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and 3	US-PGPUB; USPAT	OR	OFF	2005/06/17 07:22
L6	0	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and "356"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/17 07:17
L7	6	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and "347"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/17 07:21
L8	496	(347/224).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 07:22
L9	1	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and 8	US-PGPUB; USPAT	OR	OFF	2005/06/17 07:22
L10	2	ep-496132\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 07:50
L11	2	ep-1205912\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 07:48
L12	2	ep-1205913\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 07:50
L13	1	wo-200049604\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 07:48

L14	1	wo-200049605\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 07:50
L15	35	"5097351"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 07:49
L16	3	((("5097351") or ("5179463") or ("5815482")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/17 07:49
S1	308	closed near loop near10 control\$5 near10 beam	US-PGPUB; USPAT	OR	OFF	2003/10/01 09:53
S3	15	"360"/\$.ccls. and S1	US-PGPUB; USPAT	OR	OFF	2003/10/01 09:54
S4	11	S3 and laser	US-PGPUB; USPAT	OR	OFF	2003/10/01 09:52
S5	63	closed near loop near10 control\$5 near10 beam same (intensity or power)	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:36
S6	1	"360"/\$.ccls. and S5	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:36
S7	1	("6160568").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/10/01 10:03
S8	171	ceramic near10 stabilizer	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:36
S9	4	"360"/\$.ccls. and S8	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:38
S10	3	"360"/\$.ccls. and S8 and flat	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:54
S11	0	"360"/\$.ccls. and S8 and magnetic near tape	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:54
S12	0	"360"/\$.ccls. and S8 and tape	US-PGPUB; USPAT	OR	OFF	2003/10/01 10:54
S13	125	chen-hong\$.in.	US-PGPUB; USPAT	OR	OFF	2003/10/01 11:20
S14	3	panish-joseph.in.	US-PGPUB; USPAT	OR	OFF	2003/10/01 11:21
S15	6	panish-joseph\$.in.	US-PGPUB; USPAT	OR	OFF	2003/10/01 11:21
S16	5	cappabianca-leo\$.in.	US-PGPUB; USPAT	OR	OFF	2003/10/01 11:21

S17	23	lee-Tzuo\$.in.	US-PGPUB; USPAT	OR	OFF	2003/10/01 11:22
S18	114	(yewebdar or tadesse) and "118"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/06/30 10:55
S19	2	09/191766	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:03
S20	37	servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:11
S21	7	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and controller	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:48
S22	33	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and pattern	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:35
S23	217	produc\$5 near5 servo near track\$1	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:19
S24	5	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and (produc\$5 near5 servo near track\$1)	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:19
S25	0	((servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and (produc\$5 near5 servo near track\$1)) and controller	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:48
S26	5	((servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and (produc\$5 near5 servo near track\$1)) and control\$5	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:12
S27	14	(produc\$5 near5 servo near track\$1) and control\$5 near10 intensity	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:49
S28	4	(produc\$5 near5 servo near track\$1) and (control\$5 near10 intensity same time)	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:30
S29	10	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and reel\$1	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:35
S30	89	(219/121.16).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:37
S31	724	(219/121.68).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:38
S32	287	(219/121.76).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:38

S33	261	(219/121.77).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:38
S34	38	(156/345.2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:38
S35	340	(216/65).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:38
S36	2	(produc\$5 near5 servo near track\$1) and ((219/121.68).CCLS.)	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:39
S37	3	(produc\$5 near5 servo near track\$1) and ((216/65).CCLS.)	US-PGPUB; USPAT	OR	OFF	2003/09/30 08:39
S38	1	("6558774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 08:40
S39	1	control\$5 same non adj record\$3 adj side near5 tape	US-PGPUB; USPAT	OR	OFF	2003/09/30 10:01
S40	3	((servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and (produc\$5 near5 servo near track\$1)) and control\$5 and (sensor or sens\$3 or detect\$3 or detector)	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:13
S41	26	control\$5 near5 intensity near10 sequence near10 beam	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:48
S42	4	control\$5 near5 intensity near10 sequence near10 beam near10 time	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:36
S43	0	time near dependent near sequence near5 beam\$1	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:41
S44	3	((216/65).CCLS.) and control\$5 same sequence near10 beam\$1	US-PGPUB; USPAT	OR	OFF	2005/06/06 14:51
S45	1549	control\$5 same sequence near10 beam\$1	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:47
S46	0	(produc\$5 near5 servo near track\$1) and (control\$5 same sequence near10 beam\$1)	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:44
S47	7	servo near track\$1 and (control\$5 same sequence near10 beam\$1)	US-PGPUB; USPAT	OR	OFF	2003/09/30 10:37
S48	524	control\$5 same sequence near10 beam\$1 same time	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:47
S49	4	servo near track\$1 and (control\$5 same sequence near10 beam\$1 same time)	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:50
S50	0	adapter near board same servo near track\$1	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:52

S51	12732	beam near (size or power)	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:52
S52	4	beam near (size or power) and (produc\$5 near\$5 servo near track\$1)	US-PGPUB; USPAT	OR	OFF	2003/09/30 09:52
S53	3	servo near track\$1 and non adj record\$3 adj side near\$5 tape	US-PGPUB; USPAT	OR	OFF	2003/09/30 10:37
S54	1	servo near track\$1 and adjust\$3 near power near\$5 beam	US-PGPUB; USPAT	OR	OFF	2003/09/30 11:24
S55	22	servo near track\$1 and adjust\$3 near intensity	US-PGPUB; USPAT	OR	OFF	2003/09/30 10:40
S56	4	(servo near track\$1 and adjust\$3 near intensity) and attenuator\$1	US-PGPUB; USPAT	OR	OFF	2003/09/30 13:26
S57	4	09/191321	US-PGPUB; USPAT	OR	OFF	2003/09/30 15:00
S58	0	(servo near track\$1 and adjust\$3 near intensity) and (density near filter)	US-PGPUB; USPAT	OR	OFF	2003/09/30 13:27
S59	1	(servo near track\$1 and adjust\$3 near intensity) and (half near wave)	US-PGPUB; USPAT	OR	OFF	2003/09/30 13:59
S60	10	servo near track\$1 and attenuator\$1	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:38
S61	0	servo near track\$1 and attenuator\$1 and adjust\$3 near powder	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:35
S62	2	servo near track\$1 and attenuator\$1 and adjust\$3	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:36
S63	14	servo near track\$1 and Ikeda	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:46
S64	0	jp-025854-\$.did.	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:45
S65	0	jp-200025854-\$.did.	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:45
S66	0	jp-0625854-\$.did.	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:45
S67	59	Ikeda and attenuator	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:50
S68	1	Ikeda and attenuator and hiroyuki	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:47
S69	59	(Ikeda or Kangawa) and attenuator	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:51
S70	0	(Ikeda or Kangawa) and attenuator and (servo near track\$1)	EPO; JPO; DERWENT	OR	OFF	2003/09/30 13:51

S71	444	(360/59).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 13:59
S72	6	((360/59).CCLS.) and adjust near intensity	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:01
S73	1	"360"/\$.ccls. and filter\$1 near10 adjust\$3 near intensity	US-PGPUB; USPAT	OR	OFF	2003/10/01 09:46
S74	2	"360"/\$.ccls. and filter\$1 near20 adjust\$3 near intensity	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:02
S75	0	servo near track\$1 and filter\$1 near10 adjust\$3 near intensity	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:22
S76	340	(216/65).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/09/30 14:20
S77	2	((216/65).CCLS.) and fourier	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:21
S78	360	"360"/\$.ccls. and fourier	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:37
S79	93	servo near track\$1 and ("360"/\$.ccls. and fourier)	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:22
S80	68	servo near track\$1 and ("360"/\$.ccls. and fourier) and pattern	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:31
S81	31	servo near track\$1 and ("360"/\$.ccls. and fourier) and pattern and pitch	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:25
S82	12	(servo near track\$1 and ("360"/\$.ccls. and fourier) and pattern and pitch) and laser and control\$5	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:26
S83	17	servo near track\$1 and ("360"/\$.ccls. and fourier) and split\$4	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:32
S84	2	"360"/\$.ccls. and fourier near10 dimension	US-PGPUB; USPAT	OR	OFF	2003/09/30 14:37
S85	0	((216/65).CCLS.) and (sensor near20 servo near track)	US-PGPUB; USPAT	OR	OFF	2003/09/30 15:01
S86	125	sensor near20 servo near track	US-PGPUB; USPAT	OR	OFF	2003/09/30 15:02
S87	5	(sensor near20 servo near track) and verificat\$3	US-PGPUB; USPAT	OR	OFF	2003/09/30 15:09
S88	6	tape near stabilizer\$1 and "360"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2003/09/30 15:09
S89	308	closed near loop near10 control\$5 near10 beam	US-PGPUB; USPAT	OR	OFF	2003/10/01 09:46
S90	4	(closed near loop near10 control\$5 near10 beam) and magnetic near tape	US-PGPUB; USPAT	OR	OFF	2003/09/30 19:08

S91	62	closed near loop near10 interferometer	US-PGPUB; USPAT	OR	OFF	2003/09/30 19:23
S92	11	closed near loop near10 interferometer near10 laser	US-PGPUB; USPAT	OR	OFF	2003/09/30 19:26
S93	1	closed near loop near10 interferometer near10 laser same (intensity or power)	US-PGPUB; USPAT	OR	OFF	2003/09/30 19:27
S12 8	28	control\$5 near5 intensity near10 sequence near10 beam	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:48
S12 9	11	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and controller	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:48
S13 0	16	(produc\$5 near5 servo near track\$1) and control\$5 near10 intensity	US-PGPUB; USPAT	OR	OFF	2005/06/06 13:04
S13 1	41	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and pattern	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:50
S13 2	137	(219/121.16).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:52
S13 3	874	(219/121.68).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:52
S13 4	59	(156/345.2).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:53
S13 5	383	(216/65).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:53
S13 6	522	(360/59).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:53
S13 7	2237	(428/156).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:53
S13 8	341	(219/121.76).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:55
S13 9	303	(219/121.77).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 12:56
S14 0	4	panish-joseph.in.	US-PGPUB; USPAT	OR	OFF	2005/06/06 13:02
S14 1	14	cappabianca-leo\$.in.	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:56
S14 2	7	panish-joseph\$.in.	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:59

S14 3	196	chen-hong\$.in.	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:59
S14 4	27	lee-tzuo\$.in.	US-PGPUB; USPAT	OR	OFF	2005/06/06 12:59
S14 5	611	360/77.12	US-PGPUB; USPAT	OR	OFF	2005/06/06 13:02
S14 6	64	((produc\$3 or form\$3 or mak\$3) near5 servo near track\$1) and control\$5 near10 intensity	US-PGPUB; USPAT	OR	OFF	2005/06/06 13:05
S14 7	64	((produc\$3 or form\$5 or mak\$3) near5 servo near track\$1) and control\$5 near10 intensity	US-PGPUB; USPAT	OR	OFF	2005/06/06 13:41
S14 8	1	((produc\$3 or form\$5 or mak\$3) near5 servo near track\$1) same control\$5 near10 intensity	US-PGPUB; USPAT	OR	OFF	2005/06/06 13:26
S14 9	1	("6084740").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 13:42
S15 0	27	("4340305" "4816939" "4958245" "4969058" "5067039" "5196969" "5279775" "5283773" "5349484" "5462823" "5535069" "5877910").PN. OR ("6084740").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 13:42
S15 1	5	S146 and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 13:43
S15 2	3	((216/65).CCLS.) and control\$5 same sequence near10 beam\$1	US-PGPUB; USPAT	OR	OFF	2005/06/06 14:51
S15 3	7	servo near track\$1 and (control\$5 same sequence near10 beam\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/06 15:17
S15 4	547	(427/555).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/06 15:17
S15 5	2	servo near track\$1 and S154	US-PGPUB; USPAT	OR	OFF	2005/06/06 15:17
S15 6	3948	(360/71,75,72.1,77.12,78.02). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/16 15:48
S15 7	0	((servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and (produc\$5 near5 servo near track\$1)) and controller and S156	US-PGPUB; USPAT	OR	OFF	2005/06/16 15:49

S15 8	11	(servo near track\$1 near20 laser near20 (engrav\$3 or ablat\$3 or mark\$3)) and S156	US-PGPUB; USPAT	OR	OFF	2005/06/17 07:16
----------	----	---	--------------------	----	-----	------------------